



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop	
Alfalfa		FORAGE	Soybeans	COMMON GRAIN
Alfalfa		FORAGE	Corn	POPCORN SEED
Alfalfa		FORAGE	Tobacco Fire Cured	
Alfalfa		FORAGE	Tobacco Burley	
Alfalfa		FORAGE	Soybeans	COMMON FORAGE
Alfalfa		FORAGE	Sorghum	GRAIN GRAIN
Alfalfa		FORAGE	Sorghum	GRAIN FORAGE
Alfalfa		FORAGE	Corn	YELLOW GRAIN
Alfalfa		FORAGE	Corn	YELLOW FORAGE
Alfalfa		FORAGE	Corn	WHITE GRAIN
Alfalfa		FORAGE	Corn	WHITE FORAGE
Alfalfa		FORAGE	Tobacco Dark Air Cured	
Alfalfa		GRAZING	Sorghum	GRAIN FORAGE
Alfalfa		GRAZING	Sorghum	GRAIN GRAIN
Alfalfa		GRAZING	Tobacco Fire Cured	
Alfalfa		GRAZING	Tobacco Dark Air Cured	
Alfalfa		GRAZING	Tobacco Burley	
Alfalfa		GRAZING	Soybeans	COMMON GRAIN
Alfalfa		GRAZING	Corn	YELLOW GRAIN
Alfalfa		GRAZING	Corn	YELLOW FORAGE
Alfalfa		GRAZING	Corn	WHITE GRAIN
Alfalfa		GRAZING	Corn	WHITE FORAGE
Alfalfa		GRAZING	Corn	POPCORN SEED
Alfalfa		GRAZING	Soybeans	COMMON FORAGE
Barley	WINTER	COVER ONLY	No longer considered the first crop for a double crop combination for this intended use. The barley WTR will be reported as crop – “Cover Crop” & type - “Cereals and Other Grasses.” The second crop will be reported as is and will be the initial crop.	
Barley	WINTER	FORAGE	Tobacco Dark Air Cured	
Barley	WINTER	FORAGE	Soybeans	COMMON FORAGE

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Barley	WINTER	FORAGE	Soybeans	COMMON	FRESH
Barley	WINTER	FORAGE	Soybeans	COMMON	GRAIN
Barley	WINTER	FORAGE	Soybeans	COMMON	GRAZING
Barley	WINTER	FORAGE	Soybeans	COMMON	LEFT STANDING
Barley	WINTER	FORAGE	Soybeans	COMMON	SEED
Barley	WINTER	FORAGE	Sunflowers	SUNFLOWER OIL	FORAGE
Barley	WINTER	FORAGE	Sunflowers	SUNFLOWER OIL	SEED
Barley	WINTER	FORAGE	Tobacco Burley		
Barley	WINTER	FORAGE	Sorghum	GRAIN	SILAGE
Barley	WINTER	FORAGE	Sunflowers	SUNFLOWER OIL	GRAIN
Barley	WINTER	FORAGE	Grass	SUDAN	FORAGE
Barley	WINTER	FORAGE	Sorghum	GRAIN	SEED
Barley	WINTER	FORAGE	*--Chia		GRAIN
Barley	WINTER	FORAGE	Tobacco Fire Cured		
Barley	WINTER	FORAGE	Corn	YELLOW	GRAIN
Barley	WINTER	FORAGE	Corn	POPCORN	SEED
Barley	WINTER	FORAGE	Pumpkin**	JACK-O-LANTERN	FRESH
Barley	WINTER	FORAGE	Pumpkin**	JACK-O-LANTERN	PROCESSED
Barley	WINTER	FORAGE	Pumpkin**	JACK-O-LANTERN	SEED
Barley	WINTER	FORAGE	Sorghum	GRAIN	FORAGE
Barley	WINTER	FORAGE	Sorghum	GRAIN	GRAIN
Barley	WINTER	FORAGE	Sorghum	GRAIN	GRAZING
Barley	WINTER	FORAGE	Corn	WHITE	GRAIN
Barley	WINTER	GRAIN	Sorghum	GRAIN	SEED
Barley	WINTER	GRAIN	Sorghum	GRAIN	SILAGE
Barley	WINTER	GRAIN	Soybeans	COMMON	FORAGE
Barley	WINTER	GRAIN	Soybeans	COMMON	FRESH
Barley	WINTER	GRAIN	Soybeans	COMMON	GRAZING
Barley	WINTER	GRAIN	Soybeans	COMMON	SEED
Barley	WINTER	GRAIN	Sunflowers	SUNFLOWER OIL	FORAGE
Barley	WINTER	GRAIN	Sorghum	GRAIN	GRAZING
Barley	WINTER	GRAIN	Sunflowers	SUNFLOWER OIL	SEED

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Barley	WINTER	GRAIN	Soybeans	COMMON	GRAIN
Barley	WINTER	GRAIN	Sunflowers	SUNFLOWER OIL	GRAIN
Barley	WINTER	GRAIN	Corn	WHITE	FORAGE
Barley	WINTER	GRAIN	Sorghum	GRAIN	GRAIN
Barley	WINTER	GRAIN	Soybeans	COMMON	LEFT STANDING
Barley	WINTER	GRAIN	Corn	POPCORN	SEED
Barley	WINTER	GRAIN	Corn	YELLOW	FORAGE
Barley	WINTER	GRAIN	Grass	SUDAN	FORAGE
Barley	WINTER	GRAIN	Pumpkin**	JACK-O-LANTERN	FRESH
Barley	WINTER	GRAIN	Pumpkin**	JACK-O-LANTERN	PROCESSED
Barley	WINTER	GRAIN	Pumpkin**	JACK-O-LANTERN	SEED
Barley	WINTER	GRAIN	Sorghum	GRAIN	FORAGE
Barley	WINTER	GRAIN	*--Chia		GRAIN
Barley	WINTER	GRAZING	Pumpkin**	JACK-O-LANTERN	SEED
Barley	WINTER	GRAZING	Sorghum	GRAIN	GRAIN
Barley	WINTER	GRAZING	Sorghum	GRAIN	SILAGE
Barley	WINTER	GRAZING	Sorghum	GRAIN	SEED
Barley	WINTER	GRAZING	Sorghum	GRAIN	GRAZING
Barley	WINTER	GRAZING	Corn	POPCORN	SEED
Barley	WINTER	GRAZING	Corn	WHITE	GRAIN
Barley	WINTER	GRAZING	Corn	YELLOW	GRAIN
Barley	WINTER	GRAZING	Soybeans	COMMON	FORAGE
Barley	WINTER	GRAZING	Pumpkin**	JACK-O-LANTERN	PROCESSED
Barley	WINTER	GRAZING	Sunflowers	SUNFLOWER OIL	GRAIN
Barley	WINTER	GRAZING	Pumpkin**	JACK-O-LANTERN	FRESH
Barley	WINTER	GRAZING	Soybeans	COMMON	FRESH
Barley	WINTER	GRAZING	Soybeans	COMMON	GRAIN
Barley	WINTER	GRAZING	Soybeans	COMMON	GRAZING
Barley	WINTER	GRAZING	Soybeans	COMMON	LEFT STANDING
Barley	WINTER	GRAZING	Sunflowers	SUNFLOWER OIL	FORAGE
Barley	WINTER	GRAZING	Sunflowers	SUNFLOWER OIL	SEED
Barley	WINTER	GRAZING	Tobacco Burley	SUNFLOWER OIL	

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Barley	WINTER	GRAZING	Tobacco Dark Air Cured	SUNFLOWER OIL	
Barley	WINTER	GRAZING	Tobacco Fire Cured	SUNFLOWER OIL	
Barley	WINTER	GRAZING	Sorghum	GRAIN	FORAGE
Barley	WINTER	GRAZING	Soybeans	COMMON	SEED
Barley	WINTER	GREEN MANURE	No longer considered the first crop for a double crop combination for this intended use. The barley WTR will be reported as crop – “Cover Crop” & type - “Cereals and Other Grasses.” The second crop will be reported as is and will be the initial crop.		
Barley	WINTER	GS	Soybeans	COMMON	GRAZING
Barley	WINTER	GS	Sorghum	GRAIN	GRAZING
Barley	WINTER	GS	Soybeans	COMMON	SEED
Barley	WINTER	GS	Pumpkin**	JACK-O-LANTERN	PROCESSED
Barley	WINTER	GS	Pumpkin**	JACK-O-LANTERN	SEED
Barley	WINTER	GS	Sorghum	GRAIN	GRAIN
Barley	WINTER	GS	Sorghum	GRAIN	SEED
Barley	WINTER	GS	Sorghum	GRAIN	SILAGE
Barley	WINTER	GS	Soybeans	COMMON	FORAGE
Barley	WINTER	GS	Sunflowers	SUNFLOWER OIL	FORAGE
Barley	WINTER	GS	Soybeans	COMMON	GRAIN
Barley	WINTER	GS	Sunflowers	SUNFLOWER OIL	SEED
Barley	WINTER	GS	Soybeans	COMMON	LEFT STANDING
Barley	WINTER	GS	Pumpkin**	JACK-O-LANTERN	FRESH
Barley	WINTER	GS	Soybeans	COMMON	FRESH
Barley	WINTER	GS	Sorghum	GRAIN	FORAGE
Barley	WINTER	GS	Sunflowers	SUNFLOWER OIL	GRAIN
Barley	WINTER	SEED	Soybeans	COMMON	GRAIN
Barley	WINTER	SEED	Soybeans	COMMON	GRAZING
Barley	WINTER	SEED	Soybeans	COMMON	LEFT STANDING
Barley	WINTER	SEED	Soybeans	COMMON	SEED
Barley	WINTER	SEED	Sunflowers	SUNFLOWER OIL	FORAGE
Barley	WINTER	SEED	Sunflowers	SUNFLOWER OIL	SEED

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Barley	WINTER	SEED	Soybeans	COMMON	FRESH
Barley	WINTER	SEED	Pumpkin**	JACK-O-LANTERN	SEED
Barley	WINTER	SEED	Sunflowers	SUNFLOWER OIL	GRAIN
Barley	WINTER	SEED	Soybeans	COMMON	FORAGE
Barley	WINTER	SEED	Sorghum	GRAIN	SILAGE
Barley	WINTER	SEED	Sorghum	GRAIN	SEED
Barley	WINTER	SEED	Sorghum	GRAIN	GRAZING
Barley	WINTER	SEED	Sorghum	GRAIN	FORAGE
Barley	WINTER	SEED	Pumpkin**	JACK-O-LANTERN	PROCESSED
Barley	WINTER	SEED	Pumpkin**	JACK-O-LANTERN	FRESH
Barley	WINTER	SEED	Sorghum	GRAIN	GRAIN
Cabbage*	CHOY SUM CABBAGE	FRESH	Cucumbers*	COMMON	FRESH
Cabbage*	CHOY SUM CABBAGE	FRESH	Cucumbers*	PICKLING	FRESH
Cabbage*	CHOY SUM CABBAGE	FRESH	Beans*	GREEN	FRESH
Cabbage*	HYBRID*	FRESH	Cucumbers*	COMMON	FRESH
Cabbage*	HYBRID*	FRESH	Pumpkins*	HOWDEN	FRESH
Cabbage*	HYBRID*	FRESH	Beans*	GREEN	FRESH
Cabbage*	HYBRID*	FRESH	Cucumbers*	PICKLING	FRESH
Cabbage*	RED CABBAGE	FRESH	Cucumbers*	COMMON	FRESH
Cabbage*	RED CABBAGE	FRESH	Cucumbers*	PICKLING	FRESH
Cabbage*	RED CABBAGE	FRESH	Beans*	GREEN	FRESH
Canola	FALL SEEDED	*--GRAIN	Soybeans	COMMON	GRAIN
Canola	FALL SEEDED	*--GRAIN	Chia		GRAIN
Canola	FALL SEEDED	COVER ONLY	No longer considered the first crop for a double crop combination for this intended use. The canola FAL will be reported as crop – “Cover Crop” & type - “Brassicas and Other Broadleaves.” The second crop will be reported as is and will be the initial cr		
Canola	FALL SEEDED	FORAGE	Soybeans	COMMON	FORAGE
Canola	FALL SEEDED	FORAGE	Soybeans	COMMON	SEED
Canola	FALL SEEDED	FORAGE	Soybeans	COMMON	LEFT STANDING
Canola	FALL SEEDED	FORAGE	Soybeans	COMMON	GRAZING

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Canola	FALL SEEDED	FORAGE	Soybeans	COMMON	FRESH
Canola	FALL SEEDED	FORAGE	Sorghum	GRAIN	SILAGE
Canola	FALL SEEDED	FORAGE	Sorghum	GRAIN	SEED
Canola	FALL SEEDED	FORAGE	Sorghum	GRAIN	GRAZING
Canola	FALL SEEDED	FORAGE	Sorghum	GRAIN	GRAIN
Canola	FALL SEEDED	FORAGE	Sorghum	GRAIN	FORAGE
Canola	FALL SEEDED	FORAGE	Soybeans	COMMON	GRAIN
Canola	FALL SEEDED	SEED	Soybeans	COMMON	FRESH
Canola	FALL SEEDED	SEED	Soybeans	COMMON	SEED
Canola	FALL SEEDED	SEED	Soybeans	COMMON	LEFT STANDING
Canola	FALL SEEDED	SEED	Soybeans	COMMON	GRAZING
Canola	FALL SEEDED	SEED	Soybeans	COMMON	GRAIN
Canola	FALL SEEDED	SEED	Soybeans	COMMON	FORAGE
Canola	FALL SEEDED	SEED	Sorghum	GRAIN	SILAGE
Canola	FALL SEEDED	SEED	Sorghum	GRAIN	SEED
Canola	FALL SEEDED	SEED	Sorghum	GRAIN	GRAZING
Canola	FALL SEEDED	SEED	Sorghum	GRAIN	FORAGE
Canola	FALL SEEDED	SEED	Sorghum	GRAIN	GRAIN
Clover	CRIMSON CLOVER	COVER ONLY	No longer considered the first crop for a double crop combination for this intended use. The clover CRM will be reported as crop – “Cover Crop” & type - “Legumes.” The second crop will be reported as is and will be the initial crop.		
Clover	CRIMSON CLOVER	GREEN MANURE	No longer considered the first crop for a double crop combination for this intended use. The clover CRM will be reported as crop – “Cover Crop” & type - “Legumes.” The second crop will be reported as is and will be the initial crop.		
Clover	RED CLOVER	FORAGE	Soybeans	COMMON	GRAIN
Clover	RED CLOVER	FORAGE	Soybeans	COMMON	FORAGE
Clover	RED CLOVER	FORAGE	Tobacco Fire Cured		
Clover	RED CLOVER	FORAGE	Tobacco Burley		
Clover	RED CLOVER	FORAGE	Corn	YELLOW	GRAIN

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Clover	RED CLOVER	FORAGE	Corn	POPCORN	SEED
Clover	RED CLOVER	FORAGE	Corn	YELLOW	FORAGE
Clover	RED CLOVER	FORAGE	Corn	WHITE	FORAGE
Clover	RED CLOVER	FORAGE	Corn	WHITE	GRAIN
Clover	RED CLOVER	FORAGE	Tobacco Dark Air Cured		
Clover	RED CLOVER	FORAGE	Sorghum	GRAIN	GRAIN
Clover	RED CLOVER	GRAZING	Soybeans	COMMON	FORAGE
Clover	RED CLOVER	GRAZING	Tobacco Fire Cured		
Clover	RED CLOVER	GRAZING	Tobacco Fire Cured		
Clover	RED CLOVER	GRAZING	Tobacco Dark Air Cured		
Clover	RED CLOVER	GRAZING	Soybeans	COMMON	GRAIN
Clover	RED CLOVER	GRAZING	Sorghum	GRAIN	GRAIN
Clover	RED CLOVER	GRAZING	Corn	YELLOW	GRAIN
Clover	RED CLOVER	GRAZING	Corn	YELLOW	FORAGE
Clover	RED CLOVER	GRAZING	Corn	WHITE	GRAIN
Clover	RED CLOVER	GRAZING	Corn	WHITE	FORAGE
Clover	RED CLOVER	GRAZING	Corn	POPCORN	SEED
Clover	RED CLOVER	GRAZING	Tobacco Burley		
Grass	BLUEGRASS, KENTUCKY	SOD	Corn	WHITE	GRAIN
Grass	BLUEGRASS, KENTUCKY	SOD	Corn	YELLOW	GRAIN
Grass	BLUEGRASS, KENTUCKY	SOD	Soybeans	COMMON	GRAIN
Grass	FESCUE, TALL	FORAGE	Tobacco Burley		
Grass	FESCUE, TALL	FORAGE	Sorghum	GRAIN	GRAIN
Grass	FESCUE, TALL	FORAGE	Tobacco Dark Air Cured		
Grass	FESCUE, TALL	FORAGE	Soybeans	COMMON	GRAIN
Grass	FESCUE, TALL	FORAGE	Soybeans	COMMON	FORAGE
Grass	FESCUE, TALL	FORAGE	Corn	YELLOW	GRAIN
Grass	FESCUE, TALL	FORAGE	Corn	YELLOW	FORAGE
Grass	FESCUE, TALL	FORAGE	Corn	POPCORN	SEED
Grass	FESCUE, TALL	FORAGE	Corn	WHITE	GRAIN
Grass	FESCUE, TALL	FORAGE	Corn	WHITE	FORAGE
Grass	FESCUE, TALL	FORAGE	Tobacco Fire Cured		

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Grass	FESCUE, TALL	FORAGE	Sorghum	GRAIN	FORAGE
Grass	FESCUE, TALL	GRAZING	Soybeans	COMMON	FORAGE
Grass	FESCUE, TALL	GRAZING	Tobacco Fire Cured		
Grass	FESCUE, TALL	GRAZING	Tobacco Burley		
Grass	FESCUE, TALL	GRAZING	Sorghum	GRAIN	GRAIN
Grass	FESCUE, TALL	GRAZING	Sorghum	GRAIN	FORAGE
Grass	FESCUE, TALL	GRAZING	Corn	YELLOW	GRAIN
Grass	FESCUE, TALL	GRAZING	Corn	WHITE	GRAIN
Grass	FESCUE, TALL	GRAZING	Corn	POPCORN	SEED
Grass	FESCUE, TALL	GRAZING	Tobacco Dark Air Cured		
Grass	FESCUE, TALL	SOD	Soybeans	COMMON	GRAIN
Grass	FESCUE, TALL	SOD	Corn	WHITE	GRAIN
Grass	FESCUE, TALL	SOD	Corn	YELLOW	GRAIN
Grass	NATIVE	FORAGE	Soybeans	COMMON	FORAGE
Grass	NATIVE	FORAGE	Tobacco Fire Cured		
Grass	NATIVE	FORAGE	Tobacco Dark Air Cured		
Grass	NATIVE	FORAGE	Tobacco Burley		
Grass	NATIVE	FORAGE	Soybeans	COMMON	GRAIN
Grass	NATIVE	FORAGE	Sorghum	GRAIN	GRAIN
Grass	NATIVE	FORAGE	Sorghum	GRAIN	FORAGE
Grass	NATIVE	FORAGE	Corn	YELLOW	GRAIN
Grass	NATIVE	FORAGE	Corn	YELLOW	FORAGE
Grass	NATIVE	FORAGE	Corn	WHITE	GRAIN
Grass	NATIVE	FORAGE	Corn	POPCORN	SEED
Grass	NATIVE	FORAGE	Corn	WHITE	FORAGE
Grass	NATIVE	GRAZING	Sorghum	GRAIN	GRAIN
Grass	NATIVE	GRAZING	Tobacco Burley		
Grass	NATIVE	GRAZING	Tobacco Dark Air Cured		
Grass	NATIVE	GRAZING	Soybeans	COMMON	GRAIN
Grass	NATIVE	GRAZING	Soybeans	COMMON	FORAGE
Grass	NATIVE	GRAZING	Corn	YELLOW	GRAIN
Grass	NATIVE	GRAZING	Corn	YELLOW	FORAGE

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Grass	NATIVE	GRAZING	Tobacco Fire Cured		
Grass	NATIVE	GRAZING	Corn	WHITE	GRAIN
Grass	NATIVE	GRAZING	Corn	POPCORN	SEED
Grass	NATIVE	GRAZING	Corn	WHITE	FORAGE
Grass	NATIVE	GRAZING	Sorghum	GRAIN	FORAGE
Grass	RYE, ANNUAL	FORAGE	Tobacco Burley		
Grass	RYE, ANNUAL	FORAGE	Tobacco Dark Air Cured		
Grass	RYE, ANNUAL	FORAGE	Soybeans	COMMON	GRAIN
Grass	RYE, ANNUAL	FORAGE	Soybeans	COMMON	FORAGE
Grass	RYE, ANNUAL	FORAGE	Sorghum	GRAIN	GRAIN
Grass	RYE, ANNUAL	FORAGE	Corn	YELLOW	FORAGE
Grass	RYE, ANNUAL	FORAGE	Corn	YELLOW	GRAIN
Grass	RYE, ANNUAL	FORAGE	Corn	WHITE	FORAGE
Grass	RYE, ANNUAL	FORAGE	Corn	WHITE	GRAIN
Grass	RYE, ANNUAL	FORAGE	Sorghum	GRAIN	FORAGE
Grass	RYE, ANNUAL	FORAGE	Tobacco Fire Cured		
Grass	RYE, ANNUAL	FORAGE	Corn	POPCORN	SEED
Grass	RYE, ANNUAL	GRAZING	Sorghum	GRAIN	FORAGE
Grass	RYE, ANNUAL	GRAZING	Soybeans	COMMON	FORAGE
Lettuce*	ROMAINE	FRESH	Pumpkins*	HOWDEN	FRESH
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	FORAGE	Corn	YELLOW	FORAGE
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	FORAGE	Tobacco Dark Air Cured		
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	FORAGE	Corn	WHITE	FORAGE
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	FORAGE	Tobacco Burley		
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	FORAGE	Soybeans	COMMON	GRAIN
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	FORAGE	Soybeans	COMMON	FORAGE
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	FORAGE	Corn	WHITE	GRAIN
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	FORAGE	Sorghum	GRAIN	GRAIN

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop		Double Crop		
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	FORAGE	Corn	YELLOW GRAIN
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	FORAGE	Tobacco Fire Cured	
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	FORAGE	Sorghum	GRAIN FORAGE
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	FORAGE	Corn	POPCORN SEED
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	GRAZING	Tobacco Burley	
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	GRAZING	Corn	POPCORN SEED
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	GRAZING	Corn	WHITE FORAGE
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	GRAZING	Tobacco Dark Air Cured	
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	GRAZING	Soybeans	COMMON GRAIN
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	GRAZING	Soybeans	COMMON FORAGE
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	GRAZING	Sorghum	GRAIN GRAIN
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	GRAZING	Sorghum	GRAIN FORAGE
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	GRAZING	Corn	YELLOW GRAIN
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	GRAZING	Corn	YELLOW FORAGE
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	GRAZING	Corn	WHITE GRAIN
Mixed Forage	*LEGUME/SMALL GRAIN/GRASS	GRAZING	Tobacco Fire Cured	
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	FORAGE	Sorghum	GRAIN GRAIN
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	FORAGE	Tobacco Fire Cured	
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	FORAGE	Tobacco Dark Air Cured	
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	FORAGE	Tobacco Burley	
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	FORAGE	Soybeans	COMMON FORAGE

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	FORAGE	Corn	YELLOW	GRAIN
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	FORAGE	Corn	YELLOW	FORAGE
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	FORAGE	Corn	WHITE	GRAIN
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	FORAGE	Corn	WHITE	FORAGE
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	FORAGE	Corn	POPCORN	SEED
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	FORAGE	Sorghum	GRAIN	FORAGE
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	FORAGE	Soybeans	COMMON	GRAIN
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	GRAZING	Corn	YELLOW	FORAGE
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	GRAZING	Tobacco Fire Cured		
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	GRAZING	Tobacco Dark Air Cured		
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	GRAZING	Tobacco Burley		
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	GRAZING	Soybeans	COMMON	GRAIN
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	GRAZING	Soybeans	COMMON	FORAGE
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	GRAZING	Sorghum	GRAIN	GRAIN
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	GRAZING	Corn	YELLOW	GRAIN
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	GRAZING	Corn	WHITE	GRAIN
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	GRAZING	Corn	WHITE	FORAGE
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	GRAZING	Corn	POPCORN	SEED
Mixed Forage	2 OR MORE INTERSEEDED GRASS MIX	GRAZING	Sorghum	GRAIN	FORAGE
Mixed Forage	ALFALFA GRASS MIXTURE	FORAGE	Corn	YELLOW	FORAGE
Mixed Forage	ALFALFA GRASS MIXTURE	FORAGE	Soybeans	COMMON	GRAIN
Mixed Forage	ALFALFA GRASS MIXTURE	FORAGE	Sorghum	GRAIN	FORAGE

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Mixed Forage	ALFALFA GRASS MIXTURE	FORAGE	Tobacco Fire Cured		
Mixed Forage	ALFALFA GRASS MIXTURE	FORAGE	Tobacco Burley		
Mixed Forage	ALFALFA GRASS MIXTURE	FORAGE	Soybeans	COMMON	FORAGE
Mixed Forage	ALFALFA GRASS MIXTURE	FORAGE	Sorghum	GRAIN	GRAIN
Mixed Forage	ALFALFA GRASS MIXTURE	FORAGE	Corn	YELLOW	GRAIN
Mixed Forage	ALFALFA GRASS MIXTURE	FORAGE	Corn	WHITE	GRAIN
Mixed Forage	ALFALFA GRASS MIXTURE	FORAGE	Corn	WHITE	FORAGE
Mixed Forage	ALFALFA GRASS MIXTURE	FORAGE	Corn	POPCORN	SEED
Mixed Forage	ALFALFA GRASS MIXTURE	FORAGE	Tobacco Dark Air Cured		
Mixed Forage	ALFALFA GRASS MIXTURE	GRAZING	Corn	YELLOW	FORAGE
Mixed Forage	ALFALFA GRASS MIXTURE	GRAZING	Sorghum	GRAIN	GRAIN
Mixed Forage	ALFALFA GRASS MIXTURE	GRAZING	Corn	POPCORN	SEED
Mixed Forage	ALFALFA GRASS MIXTURE	GRAZING	Corn	WHITE	GRAIN
Mixed Forage	ALFALFA GRASS MIXTURE	GRAZING	Corn	YELLOW	GRAIN
Mixed Forage	ALFALFA GRASS MIXTURE	GRAZING	Sorghum	GRAIN	FORAGE
Mixed Forage	ALFALFA GRASS MIXTURE	GRAZING	Soybeans	COMMON	GRAIN
Mixed Forage	ALFALFA GRASS MIXTURE	GRAZING	Tobacco Burley		
Mixed Forage	ALFALFA GRASS MIXTURE	GRAZING	Tobacco Dark Air Cured		
Mixed Forage	ALFALFA GRASS MIXTURE	GRAZING	Tobacco Fire Cured		
Mixed Forage	ALFALFA GRASS MIXTURE	GRAZING	Corn	WHITE	FORAGE
Mixed Forage	ALFALFA GRASS MIXTURE	GRAZING	Soybeans	COMMON	FORAGE
Mixed Forage	LEGUME/GRASS MIXTURE	GRAZING	Soybeans	COMMON	FORAGE
Mixed Forage	LEGUME/GRASS MIXTURE	GRAZING	Corn	YELLOW	FORAGE
Mixed Forage	LEGUME/GRASS MIXTURE	GRAZING	Corn	YELLOW	GRAIN
Mixed Forage	LEGUME/GRASS MIXTURE	GRAZING	Sorghum	GRAIN	GRAIN
Mixed Forage	LEGUME/GRASS MIXTURE	GRAZING	Soybeans	COMMON	GRAIN
Mixed Forage	LEGUME/GRASS MIXTURE	GRAZING	Tobacco Burley		
Mixed Forage	LEGUME/GRASS MIXTURE	GRAZING	Tobacco Dark Air Cured		
Mixed Forage	LEGUME/GRASS MIXTURE	GRAZING	Tobacco Fire Cured		
Mixed Forage	LEGUME/GRASS MIXTURE	GRAZING	Corn	WHITE	FORAGE
Mixed Forage	LEGUME/GRASS MIXTURE	GRAZING	Corn	POPCORN	SEED
Mixed Forage	LEGUME/GRASS MIXTURE	GRAZING	Corn	WHITE	GRAIN

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Mixed Forage	LEGUME/GRASS MIXTURE	GRAZING	Sorghum	GRAIN	FORAGE
Mixed Forage	LEGUME/SMALL GRAIN	COVER ONLY	No longer considered the first crop for a double crop combination for this intended use. Mixed forage LSG will be reported as crop – “Cover Crop” & type - “Mixtures.” The second crop will be reported as is and will be the initial crop.		
Mixed Forage	LEGUME/SMALL GRAIN	FORAGE	Soybeans	COMMON	FORAGE
Mixed Forage	LEGUME/SMALL GRAIN	FORAGE	Corn	WHITE	FORAGE
Mixed Forage	LEGUME/SMALL GRAIN	FORAGE	Corn	WHITE	GRAIN
Mixed Forage	LEGUME/SMALL GRAIN	FORAGE	Corn	YELLOW	FORAGE
Mixed Forage	LEGUME/SMALL GRAIN	FORAGE	Corn	YELLOW	GRAIN
Mixed Forage	LEGUME/SMALL GRAIN	FORAGE	Sorghum	GRAIN	FORAGE
Mixed Forage	LEGUME/SMALL GRAIN	FORAGE	Sorghum	GRAIN	GRAIN
Mixed Forage	LEGUME/SMALL GRAIN	FORAGE	Tobacco Burley		
Mixed Forage	LEGUME/SMALL GRAIN	FORAGE	Tobacco Dark Air Cured		
Mixed Forage	LEGUME/SMALL GRAIN	FORAGE	Tobacco Fire Cured		
Mixed Forage	LEGUME/SMALL GRAIN	FORAGE	Corn	POPCORN	SEED
Mixed Forage	LEGUME/SMALL GRAIN	FORAGE	Soybeans	COMMON	GRAIN
Mixed Forage	LEGUME/SMALL GRAIN	GRAZING	Tobacco Burley		
Mixed Forage	LEGUME/SMALL GRAIN	GRAZING	Tobacco Fire Cured		
Mixed Forage	LEGUME/SMALL GRAIN	GRAZING	Tobacco Dark Air Cured		
Mixed Forage	LEGUME/SMALL GRAIN	GRAZING	Soybeans	COMMON	
Mixed Forage	LEGUME/SMALL GRAIN	GRAZING	Soybeans	COMMON	
Mixed Forage	LEGUME/SMALL GRAIN	GRAZING	Sorghum	GRAIN	
Mixed Forage	LEGUME/SMALL GRAIN	GRAZING	Corn	YELLOW	
Mixed Forage	LEGUME/SMALL GRAIN	GRAZING	Corn	YELLOW	
Mixed Forage	LEGUME/SMALL GRAIN	GRAZING	Corn	WHITE	
Mixed Forage	LEGUME/SMALL GRAIN	GRAZING	Corn	WHITE	
Mixed Forage	LEGUME/SMALL GRAIN	GRAZING	Corn	POPCORN	
Mixed Forage	LEGUME/SMALL GRAIN	GRAZING	Sorghum	GRAIN	
Mixed Forage	LEGUME/SMALL GRAIN	GRAZING	Tobacco Fire Cured		

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Mixed Forage	LEGUME/SMALL GRAIN	GREEN MANURE	No longer considered the first crop for a double crop combination for this intended use. Mixed forage LSG will be reported as crop – “Cover Crop” & type - “Mixtures.” The second crop will be reported as is and will be the initial crop.		
Mixed Forage	LEGUME/SMALL GRAIN/GRASS	FORAGE	Soybeans	COMMON	GRAIN
Mixed Forage	LEGUME/SMALL GRAIN/GRASS	FORAGE	Soybeans	COMMON	FORAGE
Mixed Forage	LEGUME/SMALL GRAIN/GRASS	FORAGE	Sorghum	GRAIN	GRAIN
Mixed Forage	LEGUME/SMALL GRAIN/GRASS	FORAGE	Sorghum	GRAIN	FORAGE
Mixed Forage	LEGUME/SMALL GRAIN/GRASS	FORAGE	Corn	YELLOW	GRAIN
Mixed Forage	LEGUME/SMALL GRAIN/GRASS	FORAGE	Corn	YELLOW	FORAGE
Mixed Forage	LEGUME/SMALL GRAIN/GRASS	FORAGE	Corn	WHITE	GRAIN
Mixed Forage	LEGUME/SMALL GRAIN/GRASS	FORAGE	Corn	POPCORN	SEED
Mixed Forage	LEGUME/SMALL GRAIN/GRASS	FORAGE	Tobacco Dark Air Cured		
Mixed Forage	LEGUME/SMALL GRAIN/GRASS	FORAGE	Tobacco Fire Cured		
Mixed Forage	LEGUME/SMALL GRAIN/GRASS	FORAGE	Corn	WHITE	FORAGE
Mixed Forage	LEGUME/SMALL GRAIN/GRASS	FORAGE	Tobacco Burley		
Mixed Forage	SMALL GRAIN/LEGUME/VEGTB	COVER ONLY	No longer considered the first crop for a double crop combination for this intended use. Mixed forage GLV will be reported as crop – “Cover Crop” & type - “Mixtures.” The second crop will be reported as is and will be the initial crop.		
Mixed Forage	SMALL GRAIN/LEGUME/VEGTB	GREEN MANURE	No longer considered the first crop for a double crop combination for this intended use. Mixed forage GLV will be reported as crop – “Cover Crop” & type - “Mixtures.” The second crop will be reported as is and will be the initial crop.		

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop

Double Crop

Note: Turnips for CO and GZ are not FAVs according to 1-CP Exhibit 10.5

		GRAZING	Corn	POPCORN	SEED
Oats	SPRING	FORAGE	Corn	YELLOW	FORAGE
Oats	SPRING	FORAGE	Pumpkins**	JACK-O-LANTERN	FRESH
Oats	SPRING	FORAGE	Sorghum	GRAIN	FORAGE
Oats	SPRING	FORAGE	Soybeans	COMMON	FORAGE
Oats	SPRING	FORAGE	Soybeans	COMMON	GRAIN
Oats	SPRING	FORAGE	Squash**	ACORN SQUASH	FRESH
Oats	SPRING	FORAGE	Squash**	BUTTERNUT	FRESH
Oats	SPRING	FORAGE	Corn	WHITE	FORAGE
Oats	SPRING	FORAGE	Tobacco Burley		
Oats	SPRING	FORAGE	Tobacco Dark Air Cured		
Oats	SPRING	FORAGE	Tomatoes**	GREEN	FRESH
Oats	SPRING	FORAGE	Tobacco Fire Cured		
Oats	SPRING	FORAGE	Squash**	SPAGHETTI	FRESH
Oats	SPRING	FORAGE	Broccoli**		FRESH
Oats	SPRING	FORAGE	Tomatoes**	YELLOW	FRESH
Oats	SPRING	FORAGE	Tomatoes**	PLUM	FRESH
Oats	SPRING	FORAGE	Tomatoes**	HYBRID	FRESH
Oats	SPRING	FORAGE	Cauliflower**		FRESH
Oats	SPRING	GRAIN	Grass	SUDAN	FORAGE
Oats	WINTER	COVER ONLY	No longer considered the first crop for a double crop combination for this intended use. Oats WTR will be reported as crop – “Cover Crop” & type - “Cereals and Other Grasses.” The second crop will be reported as is and will be the initial crop.		
Oats	WINTER	FORAGE	Soybeans	COMMON	FORAGE
Oats	WINTER	FORAGE	Sunflowers	SUNFLOWER OIL	GRAIN
Oats	WINTER	FORAGE	Tobacco Dark Air Cured		
Oats	WINTER	FORAGE	Sorghum	GRAIN	GRAIN
Oats	WINTER	FORAGE	Tobacco Fire Cured		

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Oats	WINTER	FORAGE	Tobacco Burley		
Oats	WINTER	FORAGE	Pumpkin**	JACK-O-LANTERN	FRESH
Oats	WINTER	FORAGE	Grass	SUDAN	FORAGE
Oats	WINTER	FORAGE	*--Chia		
Oats	WINTER	FORAGE	Corn	POPCORN	SEED
Oats	WINTER	FORAGE	Corn	YELLOW	FORAGE
Oats	WINTER	FORAGE	Corn	YELLOW	GRAIN
Oats	WINTER	FORAGE	Corn	WHITE	GRAIN
Oats	WINTER	FORAGE	Corn	WHITE	FORAGE
Oats	WINTER	FORAGE	Soybeans	COMMON	GRAIN
Oats	WINTER	FORAGE	Sorghum	GRAIN	FORAGE
Oats	WINTER	GRAIN	Pumpkin**	JACK-O-LANTERN	SEED
Oats	WINTER	GRAIN	Sunflowers	SUNFLOWER OIL	SEED
Oats	WINTER	GRAIN	Sunflowers	SUNFLOWER OIL	FORAGE
Oats	WINTER	GRAIN	Pumpkin**	JACK-O-LANTERN	PROCESSED
Oats	WINTER	GRAIN	Pumpkin**	JACK-O-LANTERN	FRESH
Oats	WINTER	GRAIN	*--Chia		GRAIN
Oats	WINTER	GRAIN	Sunflowers	SUNFLOWER OIL	GRAIN
Oats	WINTER	GRAZING	Pumpkin**	JACK-O-LANTERN	PROCESSED
Oats	WINTER	GRAZING	Sunflowers	SUNFLOWER OIL	SEED
Oats	WINTER	GRAZING	Sunflowers	SUNFLOWER OIL	GRAIN
Oats	WINTER	GRAZING	Sunflowers	SUNFLOWER OIL	FORAGE
Oats	WINTER	GRAZING	Pumpkin**	JACK-O-LANTERN	SEED
Oats	WINTER	GRAZING	Pumpkin**	JACK-O-LANTERN	FRESH
Oats	WINTER	GREEN MANURE	No longer considered the first crop for a double crop combination for this intended use. Oats WTR will be reported as crop – “Cover Crop” & type - “Cereals and Other Grasses.” The second crop will be reported as is and will be the initial crop.		
Oats	WINTER	GS	Pumpkin**	JACK-O-LANTERN	FRESH
Oats	WINTER	GS	Sunflowers	SUNFLOWER OIL	SEED
Oats	WINTER	GS	Sunflowers	SUNFLOWER OIL	GRAIN
Oats	WINTER	GS	Sunflowers	SUNFLOWER OIL	FORAGE

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Oats	WINTER	GS	Pumpkin**	JACK-O-LANTERN	PROCESSED
Oats	WINTER	GS	Pumpkin**	JACK-O-LANTERN	SEED
Oats	WINTER	SEED	Pumpkin**	JACK-O-LANTERN	FRESH
Oats	WINTER	SEED	Sunflowers	SUNFLOWER OIL	SEED
Oats	WINTER	SEED	Sunflowers	SUNFLOWER OIL	GRAIN
Oats	WINTER	SEED	Pumpkin**	JACK-O-LANTERN	PROCESSED
Oats	WINTER	SEED	Sunflowers	SUNFLOWER OIL	FORAGE
Oats	WINTER	SEED	Pumpkin**	JACK-O-LANTERN	SEED
Peas	AUSTRIAN	COVER ONLY	No longer considered the first crop for a double crop combination for this intended use. Peas AUS will be reported as crop – “Cover Crop” & type - “Legumes.” The second crop will be reported as is and will be the initial crop.		
Peas	AUSTRIAN	GREEN MANURE	No longer considered the first crop for a double crop combination for this intended use. Peas AUS will be reported as crop – “Cover Crop” & type - “Legumes.” The second crop will be reported as is and will be the initial crop.		
Radishes	DAIKON	COVER ONLY	No longer considered the first crop for a double crop combination for this intended use. Radishes DAI will be reported as crop – “Cover Crop” & type - “Brassicas and Other Broadleaves.” The second crop will be reported as is and will be the initial crop		
Radishes	OPEN POLLINATED	GREEN MANURE	No longer considered the first crop for a double crop combination for this intended use. Radishes OPN will be reported as crop – “Cover Crop” & type - “Brassicas and Other Broadleaves.” The second crop will be reported as is and will be the initial crop		
Rapeseed		COVER ONLY	No longer considered the first crop for a double crop combination for this intended use. The rapeseed will be reported as crop – “Cover Crop” & type - “Brassicas and Other Broadleaves.” The second crop will be reported as is and will be the initial crop		

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop	
Rapeseed	GRAIN	*--Chia		GRAIN
Rapeseed	GRAIN	Soybeans	COMMON	SEED
Rapeseed	GRAIN	Soybeans	COMMON	LEFT STANDING
Rapeseed	GRAIN	Soybeans	COMMON	GRAZING
Rapeseed	GRAIN	Soybeans	COMMON	GRAIN
Rapeseed	GRAIN	Soybeans	COMMON	FORAGE
Rapeseed	GRAIN	Soybeans	COMMON	FRESH
Rapeseed	GRAZING	Soybeans	COMMON	GRAZING
Rapeseed	GRAZING	Soybeans	COMMON	LEFT STANDING
Rapeseed	GRAZING	Soybeans	COMMON	SEED
Rapeseed	GRAZING	Soybeans	COMMON	FRESH
Rapeseed	GRAZING	Soybeans	COMMON	FORAGE
Rapeseed	GRAZING	Soybeans	COMMON	GRAIN
Rapeseed	GREEN MANURE	No longer considered the first crop for a double crop combination for this intended use. The rapeseed will be reported as crop – “Cover Crop” & type - “Brassicas and Other Broadleaves.” The second crop will be reported as is and will be the initial crop		
Rapeseed	SEED	Soybeans	COMMON	FRESH
Rapeseed	SEED	Soybeans	COMMON	GRAIN
Rapeseed	SEED	Soybeans	COMMON	GRAZING
Rapeseed	SEED	Soybeans	COMMON	LEFT STANDING
Rapeseed	SEED	Soybeans	COMMON	SEED
Rapeseed	SEED	Soybeans	COMMON	FORAGE
Rapeseed	CARINATA/ETHIOPIAN MUSTARD	PROCESSED	Sorghum	GRAIN SEED
Rapeseed	CARINATA/ETHIOPIAN MUSTARD	PROCESSED	Sorghum	GRAIN SILAGE
Rapeseed	CARINATA/ETHIOPIAN MUSTARD	SEED	Sorghum	GRAIN GRAIN
Rapeseed	CARINATA/ETHIOPIAN MUSTARD	SEED	Sorghum	GRAIN FORAGE
Rapeseed	CARINATA/ETHIOPIAN MUSTARD	SEED	Sorghum	GRAIN GRAZING

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop

Double Crop

Rye	COVER ONLY	No longer considered the first crop for a double crop combination for this intended use. The rye will be reported as crop – “Cover Crop” & type - “Cereals and Other Grasses.” The second crop will be reported as is and will be the initial crop.		
Rye	FORAGE	Tobacco Fire Cured		
Rye	FORAGE	Tobacco Dark Air Cured		
Rye	FORAGE	Sorghum	GRAIN	FORAGE
Rye	FORAGE	Soybeans	COMMON	GRAIN
Rye	FORAGE	Soybeans	COMMON	FORAGE
Rye	FORAGE	Sorghum	GRAIN	GRAIN
Rye	FORAGE	Grass	SUDAN	FORAGE
Rye	FORAGE	Corn	YELLOW	FORAGE
Rye	FORAGE	Corn	YELLOW	GRAIN
Rye	FORAGE	Corn	WHITE	FORAGE
Rye	FORAGE	Corn	WHITE	GRAIN
Rye	FORAGE	Corn	POPCORN	SEED
Rye	FORAGE	*--Chia		GRAIN
Rye	FORAGE	Tobacco Burley		
Rye	FORAGE	Grass	SUDAN	GRAZING
Rye	GRAIN	Grass	SUDAN	FORAGE
Rye	GRAIN	Soybeans	COMMON	SEED
Rye	GRAIN	Soybeans	COMMON	LEFT STANDING
Rye	GRAIN	Soybeans	COMMON	GRAZING
Rye	GRAIN	Soybeans	COMMON	GRAIN
Rye	GRAIN	Soybeans	COMMON	FORAGE
Rye	GRAIN	*--Chia		GRAIN
Rye	GRAIN	Soybeans	COMMON	FRESH
Rye	GRAZING	Sorghum	GRAIN	FORAGE
Rye	GRAZING	Tobacco Dark Air Cured		
Rye	GRAZING	Tobacco Burley		
Rye	GRAZING	Soybeans	COMMON	GRAIN
Rye	GRAZING	Tobacco Fire Cured		

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Rye		GRAZING	Sorghum	GRAIN	GRAIN
Rye		GRAZING	Corn	YELLOW	GRAIN
Rye		GRAZING	Corn	YELLOW	FORAGE
Rye		GRAZING	Corn	WHITE	GRAIN
Rye		GRAZING	Corn	WHITE	FORAGE
Rye		GRAZING	Corn	POPCORN	SEED
Rye		GRAZING	Grass	SUDAN	GRAZING
Rye		GRAZING	Soybeans	COMMON	FORAGE
Rye		GREEN MANURE	No longer considered the first crop for a double crop combination for this intended use. The rye will be reported as crop – “Cover Crop” & type - “Cereals and Other Grasses.” The second crop will be reported as is and will be the initial crop.		
Triticale		FORAGE	Corn	YELLOW	FORAGE
Triticale		FORAGE	Tobacco Fire Cured		
Triticale		FORAGE	Tobacco Dark Air Cured		
Triticale		FORAGE	Tobacco Burley		
Triticale		FORAGE	Soybeans	COMMON	GRAIN
Triticale		FORAGE	Grass	SUDAN	FORAGE
Triticale		FORAGE	Corn	YELLOW	GRAIN
Triticale		FORAGE	Corn	WHITE	FORAGE
Triticale		FORAGE	Corn	WHITE	GRAIN
Triticale		FORAGE	Corn	POPCORN	SEED
Triticale		FORAGE	Sorghum	GRAIN	GRAIN
Triticale		GRAIN	Grass	SUDAN	FORAGE
Turnips	HYBRID	COVER ONLY	No longer considered the first crop for a double crop combination for this intended use. The turnips will be reported as crop – “Cover Crop” & type - “Brassicas and Other Broadleaves.” The second crop will be reported as is and will be the initial crop.		
Turnips	HYBRID	COVER ONLY	Corn	POPCORN	SEED
Turnips	HYBRID	GRAZING	Soybeans	COMMON	GRAIN
Turnips	HYBRID	GRAZING	Soybeans	COMMON	FORAGE

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Turnips	HYBRID	GRAZING	Corn	YELLOW	GRAIN
Turnips	HYBRID	GRAZING	Sorghum	GRAIN	GRAIN
Turnips	HYBRID	GRAZING	Corn	YELLOW	FORAGE
Turnips	HYBRID	GRAZING	Corn	WHITE	GRAIN
Turnips	HYBRID	GRAZING	Corn	WHITE	FORAGE
Turnips	HYBRID	GRAZING	Sorghum	GRAIN	FORAGE
Vetch	HAIRY VETCH	COVER ONLY	No longer considered the first crop for a double crop combination for this intended use. The vetch HRY will be reported as crop – “Cover Crop” & type - “Legumes.” The second crop will be reported as is and will be the initial crop		
Vetch	HAIRY VETCH	GREEN MANURE	No longer considered the first crop for a double crop combination for this intended use. The vetch HRY will be reported as crop – “Cover Crop” & type - “Legumes.” The second crop will be reported as is and will be the initial crop.		
Wheat	SOFT RED WINTER	COVER ONLY	No longer considered the first crop for a double crop combination for this intended use. The wheat SRW will be reported as crop – “Cover Crop” & type - “Cereals and Other Grasses.” The second crop will be reported as is and will be the initial crop.		
Wheat	SOFT RED WINTER	FORAGE	Soybeans	COMMON	GRAZING
Wheat	SOFT RED WINTER	FORAGE	Soybeans	COMMON	GRAIN
Wheat	SOFT RED WINTER	FORAGE	Soybeans	COMMON	FRESH
Wheat	SOFT RED WINTER	FORAGE	Soybeans	COMMON	FORAGE
Wheat	SOFT RED WINTER	FORAGE	Sorghum, Forage	*--SUDEX	GRAZING
Wheat	SOFT RED WINTER	FORAGE	Sorghum	GRAIN	SILAGE
Wheat	SOFT RED WINTER	FORAGE	Sorghum	GRAIN	SEED
Wheat	SOFT RED WINTER	FORAGE	Soybeans	COMMON	LEFT STANDING
Wheat	SOFT RED WINTER	FORAGE	Sorghum	GRAIN	GRAIN
Wheat	SOFT RED WINTER	FORAGE	Sunflowers	SUNFLOWER OIL	FORAGE
Wheat	SOFT RED WINTER	FORAGE	Sorghum	GRAIN	GRAZING
Wheat	SOFT RED WINTER	FORAGE	Soybeans	COMMON	SEED

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Wheat	SOFT RED WINTER	FORAGE	Squash**	BUTTERNUT	FRESH
Wheat	SOFT RED WINTER	FORAGE	Sorghum	GRAIN	FORAGE
Wheat	SOFT RED WINTER	FORAGE	Squash**	BUTTERNUT	SEED
Wheat	SOFT RED WINTER	FORAGE	Sorghum, Forage	*--SUDEX	FORAGE
Wheat	SOFT RED WINTER	FORAGE	Sunflowers	SUNFLOWER OIL	GRAIN
Wheat	SOFT RED WINTER	FORAGE	Sunflowers	SUNFLOWER OIL	SEED
Wheat	SOFT RED WINTER	FORAGE	Tobacco Burley		
Wheat	SOFT RED WINTER	FORAGE	Tobacco Dark Air Cured		
Wheat	SOFT RED WINTER	FORAGE	Tobacco Fire Cured		
Wheat	SOFT RED WINTER	FORAGE	Squash**	BUTTERNUT	PROCESSED
Wheat	SOFT RED WINTER	FORAGE	Corn	SWEET YELLOW/GOLDEN EARLY	FRESH
Wheat	SOFT RED WINTER	FORAGE	*--Chia		GRAIN
Wheat	SOFT RED WINTER	FORAGE	Corn	POPCORN	SEED
Wheat	SOFT RED WINTER	FORAGE	Sorghum, Forage	SWEET	MOLASSES
Wheat	SOFT RED WINTER	FORAGE	Corn	SWEET WHITE	FRESH
Wheat	SOFT RED WINTER	FORAGE	Pumpkin**	JACK-O-LANTERN	SEED
Wheat	SOFT RED WINTER	FORAGE	Corn	SWEET YELLOW/GOLDEN LATE	FRESH
Wheat	SOFT RED WINTER	FORAGE	Corn	WHITE	GRAIN
Wheat	SOFT RED WINTER	FORAGE	Corn	WHITE	FORAGE
Wheat	SOFT RED WINTER	FORAGE	Corn	YELLOW	GRAIN
Wheat	SOFT RED WINTER	FORAGE	Corn	YELLOW	*--GRAZING
Wheat	SOFT RED WINTER	FORAGE	Corn	YELLOW	FORAGE
Wheat	SOFT RED WINTER	FORAGE	Grass	SUDAN	FORAGE
Wheat	SOFT RED WINTER	FORAGE	Pumpkin**	HOWDEN	SEED
Wheat	SOFT RED WINTER	FORAGE	Corn	SWEET BICOLOR	FRESH
Wheat	SOFT RED WINTER	FORAGE	Grass	SUDAN	GRAZING
Wheat	SOFT RED WINTER	FORAGE	Pumpkin**	JACK-O-LANTERN	FRESH
Wheat	SOFT RED WINTER	FORAGE	Pumpkin**	HOWDEN	PROCESSED
Wheat	SOFT RED WINTER	FORAGE	Pumpkin**	HOWDEN	FRESH
Wheat	SOFT RED WINTER	FORAGE	Peppers**	GREEN BELL	SETS
Wheat	SOFT RED WINTER	FORAGE	Peppers**	GREEN BELL	SEED

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Wheat	SOFT RED WINTER	FORAGE	Peppers**	GREEN BELL	PROCESSED
Wheat	SOFT RED WINTER	FORAGE	Peppers**	GREEN BELL	FRESH
Wheat	SOFT RED WINTER	FORAGE	Pumpkin**	JACK-O-LANTERN	PROCESSED
Wheat	SOFT RED WINTER	GRAIN	Sorghum	GRAIN	GRAIN
Wheat	SOFT RED WINTER	GRAIN	Sorghum	GRAIN	GRAZING
Wheat	SOFT RED WINTER	GRAIN	Sunflowers	SUNFLOWER OIL	FORAGE
Wheat	SOFT RED WINTER	GRAIN	Soybeans	COMMON	GRAIN
Wheat	SOFT RED WINTER	GRAIN	Sorghum	GRAIN	SEED
Wheat	SOFT RED WINTER	GRAIN	Sorghum	GRAIN	SILAGE
Wheat	SOFT RED WINTER	GRAIN	Sorghum, Forage	SWEET	MOLASSES
Wheat	SOFT RED WINTER	GRAIN	Soybeans	COMMON	FORAGE
Wheat	SOFT RED WINTER	GRAIN	Soybeans	COMMON	FRESH
Wheat	SOFT RED WINTER	GRAIN	Soybeans	COMMON	GRAZING
Wheat	SOFT RED WINTER	GRAIN	Soybeans	COMMON	LEFT STANDING
Wheat	SOFT RED WINTER	GRAIN	Soybeans	COMMON	SEED
Wheat	SOFT RED WINTER	GRAIN	Squash**	BUTTERNUT	FRESH
Wheat	SOFT RED WINTER	GRAIN	Squash**	BUTTERNUT	SEED
Wheat	SOFT RED WINTER	GRAIN	Sunflowers	SUNFLOWER OIL	GRAIN
Wheat	SOFT RED WINTER	GRAIN	Peppers**	GREEN BELL	FRESH
Wheat	SOFT RED WINTER	GRAIN	Sorghum	GRAIN	FORAGE
Wheat	SOFT RED WINTER	GRAIN	Squash**	BUTTERNUT	PROCESSED
Wheat	SOFT RED WINTER	GRAIN	Corn	YELLOW	FORAGE
Wheat	SOFT RED WINTER	GRAIN	Peppers**	GREEN BELL	SEED
Wheat	SOFT RED WINTER	GRAIN	Corn	SWEET BICOLOR	FRESH
Wheat	SOFT RED WINTER	GRAIN	Corn	SWEET WHITE	FRESH
Wheat	SOFT RED WINTER	GRAIN	Corn	SWEET YELLOW/GOLDEN EARLY	FRESH
Wheat	SOFT RED WINTER	GRAIN	Pumpkin**	JACK-O-LANTERN	SEED
Wheat	SOFT RED WINTER	GRAIN	Corn	WHITE	FORAGE
Wheat	SOFT RED WINTER	GRAIN	*--Chia		GRAIN
Wheat	SOFT RED WINTER	GRAIN	Grass	SUDAN	FORAGE
Wheat	SOFT RED WINTER	GRAIN	Pumpkin**	JACK-O-LANTERN	FRESH

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Wheat	SOFT RED WINTER	GRAIN	Peppers**	GREEN BELL	PROCESSED
Wheat	SOFT RED WINTER	GRAIN	Peppers**	GREEN BELL	SETS
Wheat	SOFT RED WINTER	GRAIN	Pumpkin**	HOWDEN	FRESH
Wheat	SOFT RED WINTER	GRAIN	Pumpkin**	HOWDEN	PROCESSED
Wheat	SOFT RED WINTER	GRAIN	Pumpkin**	HOWDEN	SEED
Wheat	SOFT RED WINTER	GRAIN	Sunflowers	SUNFLOWER OIL	SEED
Wheat	SOFT RED WINTER	GRAIN	Pumpkin**	JACK-O-LANTERN	PROCESSED
Wheat	SOFT RED WINTER	GRAIN	Corn	SWEET YELLOW/GOLDEN LATE	FRESH
Wheat	SOFT RED WINTER	GRAZING	Pumpkin**	HOWDEN	FRESH
Wheat	SOFT RED WINTER	GRAZING	Pumpkin**	HOWDEN	PROCESSED
Wheat	SOFT RED WINTER	GRAZING	Pumpkin**	HOWDEN	SEED
Wheat	SOFT RED WINTER	GRAZING	Pumpkin**	JACK-O-LANTERN	FRESH
Wheat	SOFT RED WINTER	GRAZING	Pumpkin**	JACK-O-LANTERN	SEED
Wheat	SOFT RED WINTER	GRAZING	Sorghum	GRAIN	FORAGE
Wheat	SOFT RED WINTER	GRAZING	Pumpkin**	JACK-O-LANTERN	PROCESSED
Wheat	SOFT RED WINTER	GRAZING	Corn	POPCORN	SEED
Wheat	SOFT RED WINTER	GRAZING	Corn	WHITE	FORAGE
Wheat	SOFT RED WINTER	GRAZING	Corn	WHITE	GRAIN
Wheat	SOFT RED WINTER	GRAZING	Corn	YELLOW	FORAGE
Wheat	SOFT RED WINTER	GRAZING	Corn	YELLOW	GRAIN
Wheat	SOFT RED WINTER	GRAZING	Grass	SUDAN	GRAZING
Wheat	SOFT RED WINTER	GRAZING	Sorghum	GRAIN	GRAIN
Wheat	SOFT RED WINTER	GRAZING	Peppers**	GREEN BELL	PROCESSED
Wheat	SOFT RED WINTER	GRAZING	Squash**	BUTTERNUT	PROCESSED
Wheat	SOFT RED WINTER	GRAZING	Peppers**	GREEN BELL	SEED
Wheat	SOFT RED WINTER	GRAZING	Peppers**	GREEN BELL	FRESH
Wheat	SOFT RED WINTER	GRAZING	Squash**	BUTTERNUT	FRESH
Wheat	SOFT RED WINTER	GRAZING	Peppers**	GREEN BELL	SETS
Wheat	SOFT RED WINTER	GRAZING	Tobacco Fire Cured		
Wheat	SOFT RED WINTER	GRAZING	Tobacco Dark Air Cured		
Wheat	SOFT RED WINTER	GRAZING	Tobacco Burley		
Wheat	SOFT RED WINTER	GRAZING	Sunflowers	SUNFLOWER OIL	SEED

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Wheat	SOFT RED WINTER	GRAZING	Sunflowers	SUNFLOWER OIL	GRAIN
Wheat	SOFT RED WINTER	GRAZING	Soybeans	COMMON	SEED
Wheat	SOFT RED WINTER	GRAZING	Squash**	BUTTERNUT	SEED
Wheat	SOFT RED WINTER	GRAZING	Sorghum	GRAIN	GRAZING
Wheat	SOFT RED WINTER	GRAZING	Soybeans	COMMON	LEFT STANDING
Wheat	SOFT RED WINTER	GRAZING	Soybeans	COMMON	GRAZING
Wheat	SOFT RED WINTER	GRAZING	Soybeans	COMMON	GRAIN
Wheat	SOFT RED WINTER	GRAZING	Soybeans	COMMON	FRESH
Wheat	SOFT RED WINTER	GRAZING	Soybeans	COMMON	FORAGE
Wheat	SOFT RED WINTER	GRAZING	Sorghum	GRAIN	SILAGE
Wheat	SOFT RED WINTER	GRAZING	Sorghum	GRAIN	SEED
Wheat	SOFT RED WINTER	GRAZING	Sunflowers	SUNFLOWER OIL	FORAGE
Wheat	SOFT RED WINTER	GREEN MANURE	No longer considered the first crop for a double crop combination for this intended use. The wheat SRW will be reported as crop – “Cover Crop” & type - “Cereals and Other Grasses.” The second crop will be reported as is and will be the initial crop.		
Wheat	SOFT RED WINTER	GS	Pumpkin**	JACK-O-LANTERN	FRESH
Wheat	SOFT RED WINTER	GS	Peppers**	GREEN BELL	PROCESSED
Wheat	SOFT RED WINTER	GS	Sunflowers	SUNFLOWER OIL	SEED
Wheat	SOFT RED WINTER	GS	Peppers**	GREEN BELL	FRESH
Wheat	SOFT RED WINTER	GS	Peppers**	GREEN BELL	SEED
Wheat	SOFT RED WINTER	GS	Peppers**	GREEN BELL	SETS
Wheat	SOFT RED WINTER	GS	Pumpkin**	HOWDEN	FRESH
Wheat	SOFT RED WINTER	GS	Pumpkin**	HOWDEN	SEED
Wheat	SOFT RED WINTER	GS	Pumpkin**	JACK-O-LANTERN	PROCESSED
Wheat	SOFT RED WINTER	GS	Pumpkin**	JACK-O-LANTERN	SEED
Wheat	SOFT RED WINTER	GS	Sorghum	GRAIN	FORAGE
Wheat	SOFT RED WINTER	GS	Sorghum	GRAIN	GRAIN
Wheat	SOFT RED WINTER	GS	Sorghum	GRAIN	GRAZING
Wheat	SOFT RED WINTER	GS	Squash**	BUTTERNUT	SEED
Wheat	SOFT RED WINTER	GS	Sunflowers	SUNFLOWER OIL	GRAIN

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Wheat	SOFT RED WINTER	GS	Pumpkin**	HOWDEN	PROCESSED
Wheat	SOFT RED WINTER	GS	Sunflowers	SUNFLOWER OIL	FORAGE
Wheat	SOFT RED WINTER	GS	Sorghum	GRAIN	SEED
Wheat	SOFT RED WINTER	GS	Squash**	BUTTERNUT	PROCESSED
Wheat	SOFT RED WINTER	GS	Squash**	BUTTERNUT	FRESH
Wheat	SOFT RED WINTER	GS	Soybeans	COMMON	SEED
Wheat	SOFT RED WINTER	GS	Soybeans	COMMON	LEFT STANDING
Wheat	SOFT RED WINTER	GS	Soybeans	COMMON	GRAZING
Wheat	SOFT RED WINTER	GS	Soybeans	COMMON	GRAIN
Wheat	SOFT RED WINTER	GS	Soybeans	COMMON	FRESH
Wheat	SOFT RED WINTER	GS	Soybeans	COMMON	FORAGE
Wheat	SOFT RED WINTER	GS	Sorghum	GRAIN	SILAGE
Wheat	SOFT RED WINTER	SEED	Sunflowers	SUNFLOWER OIL	GRAIN
Wheat	SOFT RED WINTER	SEED	Soybeans	COMMON	FRESH
Wheat	SOFT RED WINTER	SEED	Soybeans	COMMON	GRAIN
Wheat	SOFT RED WINTER	SEED	Soybeans	COMMON	GRAZING
Wheat	SOFT RED WINTER	SEED	Soybeans	COMMON	LEFT STANDING
Wheat	SOFT RED WINTER	SEED	Soybeans	COMMON	SEED
Wheat	SOFT RED WINTER	SEED	Squash**	BUTTERNUT	FRESH
Wheat	SOFT RED WINTER	SEED	Squash**	BUTTERNUT	PROCESSED
Wheat	SOFT RED WINTER	SEED	Sunflowers	SUNFLOWER OIL	GRAIN
Wheat	SOFT RED WINTER	SEED	Sunflowers	SUNFLOWER OIL	FORAGE
Wheat	SOFT RED WINTER	SEED	Soybeans	COMMON	FORAGE
Wheat	SOFT RED WINTER	SEED	Peppers**	GREEN BELL	FRESH
Wheat	SOFT RED WINTER	SEED	Squash**	BUTTERNUT	SEED
Wheat	SOFT RED WINTER	SEED	Sorghum	GRAIN	SILAGE
Wheat	SOFT RED WINTER	SEED	Sorghum	GRAIN	SEED
Wheat	SOFT RED WINTER	SEED	Sorghum	GRAIN	GRAZING
Wheat	SOFT RED WINTER	SEED	Sorghum	GRAIN	GRAIN
Wheat	SOFT RED WINTER	SEED	Sorghum	GRAIN	FORAGE
Wheat	SOFT RED WINTER	SEED	Pumpkin**	JACK-O-LANTERN	SEED
Wheat	SOFT RED WINTER	SEED	Pumpkin**	JACK-O-LANTERN	PROCESSED

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.



State Committee Approved Double-Cropping Practices for Kentucky

Although a double-cropping practice is approved according to this list, it does not mean that the approved double-cropping practice is allowed for all program participation

First Crop			Double Crop		
Wheat	SOFT RED WINTER	SEED	Pumpkin**	JACK-O-LANTERN	FRESH
Wheat	SOFT RED WINTER	SEED	Pumpkin**	HOWDEN	SEED
Wheat	SOFT RED WINTER	SEED	Pumpkin**	HOWDEN	PROCESSED
Wheat	SOFT RED WINTER	SEED	Pumpkin**	HOWDEN	FRESH
Wheat	SOFT RED WINTER	SEED	Peppers**	GREEN BELL	SETS
Wheat	SOFT RED WINTER	SEED	Peppers**	GREEN BELL	PROCESSED
Wheat	SOFT RED WINTER	SEED	Peppers**	GREEN BELL	SEED

USDA is an equal opportunity provider, employer, and lender.

*See 1-ARCPLC for FAV double-cropping guidelines for ARCPLC program purposes.

**Does not meet the FAV and Wild Rice Double-Cropping Region Exception in 1-ARCPLC.